



Biomass Coverage in Pleuronectids Taxonomy Group




Biomass Coverage Over Time in Pleuronectids Taxonomy Group

Stocks with highest average biomass




Biomass Coverage Over Time in Pleuronectids Taxonomy Group

Stocks with lowest average biomass




Yellowfin sole Bering Sea and Aleutian Islands – Pleuronectids Taxonomy Group

Stock represents 18% of average absolute surplus production




Arrowtooth flounder Gulf of Alaska – Pleuronectids Taxonomy Group

Stock represents 5% of average absolute surplus production




Northern rock sole Eastern Bering Sea and Aleutian Islands – Pleuronectids Taxonomy Group

Stock represents 9% of average absolute surplus production




Dover sole Pacific Coast – Pleuronectids Taxonomy Group

Stock represents 1% of average absolute surplus production




Yellowfin sole Bering Sea and Aleutian Islands in Pleuronectids Taxonomy Group




First and last years with recorded surplus production are labeled

Arrowtooth flounder Gulf of Alaska in Pleuronectids Taxonomy Group



First and last years with recorded surplus production are labeled

Northern rock sole Eastern Bering Sea and Aleutian Islands in Pleuronectids Taxonomy Group



First and last years with recorded surplus production are labeled

Dover sole Pacific Coast
in Pleuronectids Taxonomy Group

