



Biomass Coverage in US West Coast Region



Biomass Coverage Over Time in US West Coast Region

Stocks with highest average biomass



Taxonomy Group

- Gadids
- Pleuronectids
- Sebastids
- Other Scorpaenids
- Forage Fish
- Carangids–Mackerels
- Elasmobranchs
- Bivalves–Gastropods


Biomass Coverage Over Time in US West Coast Region

Stocks with lowest average biomass




Taxonomy Group ■ Pleuronectids ■ Sebastids ■ Other Scorpaenids

Pacific hake Pacific Coast – US West Coast Region
Stock represents 69% of average absolute surplus production




Dover sole Pacific Coast – US West Coast Region
Stock represents 1% of average absolute surplus production



Pacific sardine Pacific Coast – US West Coast Region


Stock represents 20% of average absolute surplus production




Taxonomy Group Forage Fish

Shortspine thornyhead Pacific Coast – US West Coast Region

Stock represents 0% of average absolute surplus production




Pacific hake Pacific Coast in US West Coast Region




First and last years with recorded surplus production are labeled

Dover sole Pacific Coast in US West Coast Region



First and last years with recorded surplus production are labeled

Pacific sardine Pacific Coast in US West Coast Region



First and last years with recorded surplus production are labeled

Shortspine thornyhead Pacific Coast in US West Coast Region

